



205 S. Main Street • Urbana, Ohio 43078 • <http://www.urbanaohio.com> • 937-652-4302

**Public Notice
Advertisement for Bids**

Date: March 09, 2022

To: Interested Parties

RE: Custom Ambulance - RFB #2022_1UFD

The City of Urbana and Urbana Fire Division are considering a request for bid (RFB) outlined purchase, included in the information as follows:

GENERAL: These specifications have been written by the City of Urbana for the purpose of purchasing one (1) new and unused custom ambulance apparatus for the City Fire Division. The specific details shown herein shall be considered minimum unless otherwise shown and the apparatus is to be built to the following specifications and not to the bidder's specification sheets. To be considered for bid award the bidder shall be able to furnish all labor, materials, chassis, and equipment necessary to satisfy the bid requirements. All items are considered mandatory in the bid and any exceptions to the bid must be in writing. Understand any exception may remove the bidder from any further consideration. The specifications, terms, and conditions included with this RFB shall govern in any resulting contract(s) unless approved otherwise by the City of Urbana.

QUALIFICATIONS OF BIDDER: No bid will be considered unless the firm submitting the bid has in operation a factory adequate for and devoted to the manufacture of the apparatus and equipment which it proposes to furnish, and maintains an authorized service agency within a reasonable distance of the City of Urbana, Ohio. On a bid from an agent of the manufacturer, a certificate executed by the manufacturer may be required, stating that bidder is an authorized agent and that all the qualifications and all the requirements of this specification and the bid are compiled with. All required Triple K, state, and federal regulations shall be completed by the bidder and included in the overall bid price. All major components of the ambulance shall be built in the continental United States.

BID BOND: A bid bond or certified check in the amount of 10% of the bid shall be furnished with the bidder's proposal. A performance bond in the amount of 100% of the bid shall be furnished by the successful bidder within 14 days of receiving official notice of award of contract.

PLANS AND SPECIFICATIONS: Until the date of opening of the bids, plans, and specifications and/or a complete description of the apparatus, supplies, materials or equipment and/or services will be on file in the Fire Chief's Office at the Urbana Fire Division, 107 Market Street, Urbana, Ohio 43078 during normal business hours. Technical inquiries should be made directly to:

Dean Ortlieb
Fire Chief
City of Urbana
107 East Market Street
Urbana, OH 43078
(937) 652-4375
dean.ortlieb@ci.urbana.oh.us

PRICES: Price quoted shall be net. All bids are to be firm offers for no less than one year. The bidder shall provide a bid with and without a trade-in deduction and have an option for a pre-payment discount, with the discount value(s) listed. Bidders are also warned not to allow any form of Federal Excise Tax in computing their bids and not to allow any discounts for items offered for trade-in as a portion of any other allowable discounts on the new apparatus. The City reserves the right to accept value for trade-in or to purchase the new apparatus without trade-in. The City reserves the right to consider pricing discounts for partial or full prepayment terms.

CONTRACT EXTENSIONS: Pricing contracts may be extended for a period up to two (2) years if agreed upon in writing by contract vendor and the City of Urbana. The extensions may be for additional quantities or for an additional time period as agreed. No price adjustments may be made unless stipulated in the original bid specifications.

ACCESSORIES: All units supplied under this bid request must be complete as specified. Any appurtenances, accessories, equipment, and/or services not mentioned in the specifications, but necessary to furnish a complete unit ready for use upon delivery, shall be furnished.

EQUIPMENT GUARANTEE WITH BID: The bidder must guarantee that the material and workmanship of the equipment is of the highest standards or the current state of the art, and in keeping with the design incorporating the specifications under each item, and that equipment offered is new and, except for testing, calibrations, and transportation, is unused equipment; also, that no attachment or part has been substituted or applied contrary to the manufacturer's recommendation.

WARRANTIES: As part of the bidders overall packet all warranties, including extended, shall be listed and detailed and at a minimum shall include: chassis, module, cabinetry, electrical, and paint. Every unit delivered and components thereof must be guaranteed by the bidder against faulty material and workmanship from date of delivery, and if faults develop, the bidder agrees to replace the unit or the part affected without cost. Any guarantee exceeding listed dates shall be honored.

EXCEPTIONS-SUBSTITUTIONS: Each item of the specification questionnaire must be addressed with a checked "YES" or "NO." The use a certain brand, model, or make, is not intended to restrict bidders to that specific brand, model, or make. It is to more clearly convey to the prospective bidder the desired item. Any substitution(s) offered as being "equal" to the desired item(s) as specified or any exceptions for any of the other requirements or specifications must be submitted in writing with the bidder's packet. Exception submission shall reference the item number and the proposed substitution or exception, item by item. Any deviations from these specifications or not listed in writing, may be cause for rejection of the entire bid.

BID SUBMISSION: Four (4) copies of the bid must be submitted. Included with each copy shall be a completed Urbana Fire Division questionnaire that is part of this document. All bid submissions shall be signed where indicated and copies shall include any written exception documentation by the bidder. Bids are to be enclosed in a sealed envelope and clearly identified as described in this document. The submitted bid proposal shall contain the full name and address of the bidder.

BID OPENINGS: Bids will be opened at the date and hour as stated in this RFB, bids received after the date and hour as set forth herein will not be accepted or considered.

BID AWARD: The City of Urbana reserves the right to reject any or all bids, waive technicalities in any bid, and to accept any bid which is deemed by the City to be most favorable to the fire division. The City reserves the right to the sole judge of the suitability of the equipment or services for its intended use and further specifically reserves the right to make the award in the best interests of the City. Failure to respond to any requirements outlined in this RFB, or failure to enclose copies of the required documents may be cause for disqualification of the bid. The contract will be awarded after an evaluation of all bids have been made, and in the interest of suitability to the City's needs and/or economy, equipment, furnishings, or service other than the least expensive in price may be selected. The successful bidder shall receive a written and signed notice of award.

SERVICE REQUIREMENTS: Apparatus and equipment furnished must be completely serviced by the bidder before delivery to the City. The bidder is placed on notice that unless advised otherwise, in writing, the City will consider the apparatus and equipment to be fully operational and ready to be placed into service upon arrival at its destination. The correction of any damages or losses that result from the bidder's failure to comply with this section shall be the sole responsibility of the bidder. Service shall include, but not be limited to, a thorough inspection to assure the proper and safe operation of apparatus and equipment.

DELIVERY: The apparatus and equipment shall be delivered by the bidder under own power within 400 calendar days from the date listed on the notice of award. A deduction of \$100 per day shall be made for each day over the 400 calendar days. Acceptance of the delivered apparatus and equipment shall not be made until the completion of all required tests, inspections, and receipt of all specified equipment, paperwork, warranties, and manuals are in possession of the fire division.

MODIFICATION: The successful bidder will be required to notify the City of any future modifications to equipment by supplying appropriate "Service Bulletins" or recall notices.

SUBMITTING PROCESS:

Bids open on March 9th, 2022 and must be received no later than 2:00 PM on April 1st, 2022

SUBMIT YOUR BID THROUGH ONE THE FOLLOW METHODS:

USPS and/or Hand-delivery:

Four (4) copies; original and three (3) copies, in an sealed envelope, clearly marked:
Custom Ambulance - RFB #2022_1UFD

USPS address:

The Urbana Fire Division, Attn: Chief Dean Ortlieb, 107 E. Market Street, Urbana, Ohio 43078

Electronic:

Email address: dean.ortlieb@ci.urbana.oh.us

Subject line: Custom Ambulance - RFB #2022_1UFD

Attachment titled: Custom Ambulance - RFB #2022_1UFD

Please direct any questions regarding this RFB to:

Chief Dean Ortlieb

937-652-4375

dean.ortlieb@ci.urbana.oh.us

Quotations received after the above cited time will be considered a late response and are not acceptable.

Quote/Signature Page

Bidder should read and understand the circumstances and procedures under which the bid is let. Bidders' response to the RFB signifies acceptance of the obligations and rights specified herein. The Bidder to whom the contract is awarded must comply fully with Ohio Law and any other applicable industrial, state, and federal law or regulation.

Net Delivered Price: \$ _____

Anticipated Delivery: _____ calendar days from the notice of award.

Please list and attach all warranties, differences, and exceptions to UFD's specifications.

The undersigned hereby certifies that items furnished as a result of this quote will be in full accordance to the City of Urbana, Division of Fire specifications applying thereto unless exceptions are stated and listed in the bidder's packet. The City of Urbana reserves the right to reject any or all quotes, waive irregularities in any quote, and to accept any quote that is deemed by City to be in the best interest of the City.

All delivery costs are included in this quotation regardless of F.O.B. destination.

Prices shall remain firm for acceptance within 400 CALENDAR DAYS after the date listed on the notice of award. Terms are net 30 days upon delivery.

Signature Date

Printed Name Title

Company Name

Company Address

Federal Tax ID #

The above individual is authorized to sign on behalf of the company submitting the RFB. This quote is valid for 90 days from the date of the above signature.

Index

1. Chassis

- 1.1 Chassis
- 1.2 Graphics

2. Exterior Module

- 2.1 Module
- 2.2 Graphics

3. Exterior Compartments

- 3.1 Door Hardware
- 3.2 Electronic Placement
- 3.3 Compartment 1
- 3.4 Compartment 2
- 3.5 Compartment 3
- 3.6 Compartment 4
- 3.7 Compartment 5

4. Interior Module

- 4.1 Interior Design
- 4.2 Grab Rails
- 4.3 Door Locks
- 4.4 Camera
- 4.5 Battery Shut-off
- 4.6 Electric and AC Control
- 4.7 Lighting
- 4.8 Oxygen
- 4.9 Seating
- 4.10 Counter Tops
- 4.11 I.V. Holder
- 4.12 Equipment
- 4.13 Ventilation
- 4.14 Flooring

Index Continued

5. Interior Cabinets

- 5.1 Cabinets
- 5.2 Cabinet 1
- 5.3 Cabinet 2
- 5.4 Cabinet 3
- 5.5 Cabinet 4
- 5.6 Cabinet 5
- 5.7 Cabinet 6
- 5.8 Cabinet 7
- 5.9 Cabinet 8
- 5.10 Cabinet 9
- 5.11 Cabinet 10

6. Warranty and Equipment

- 6.1 Warranties
- 6.2 Equipment
- 6.3 Trade In
- 6.4 Pre-Payment

7. Emergency Warning and Radio

- 7.1 Sirens and Air Horn
- 7.2 Lights
- 7.3 Radio
- 7.4 Opticom

Item #	Chassis Final placement and color to be decided at prebuild	Bidder Complies	
		Yes	No
1.1	<p>Chassis</p> <p>Type 1 F550 4x4</p> <p>Diesel Engine</p> <p>Liquid Spring Suspension</p> <p>Highest Quality Custom Floor Console with Installed Radio and Sirens</p> <p>Highest Quality Non-Skid Running Boards (2)</p> <p>Highest Quality Mounted Buckstop Full Grill Bumper With Inserts</p> <p>Include Bumper Punchouts Holes for Sirens and Air Horns</p> <p>Curb Side Exhaust</p> <p>Highest Quality Outside Rear View Mirrors</p> <p>Highest Quality Cab Seats</p> <p>Anti-Theft Device, Secure Idle</p> <p>Highest Quality Tire Pressure Monitoring System</p> <p>Highest Quality Wheel Trim</p> <p>Front (Included on Ford) and Rear Tow Eyes Highest Quality</p> <p>Highest Quality Telescoping Computer Mount for Ipad Air 9</p> <p>Recessed Rear Kick Plate with Bumper Flip Up</p> <p>High Quality Camera with Display for Back up</p> <p>High Quality Mud Flaps</p> <p>Hidden Unlock Switch</p>		
1.2	<p>Graphics - Highest Quality</p> <p>Paint: FLNA 3048</p> <p>Both Sides: Apply 8" Stripe Scotch lite Beltline, White, Starting above Wheel Well and continues onto Top of Door and even with Module Stripe</p> <p>Pin Stripe: 1" Gold, Reflective, Top and Bottom of Beltline with 1/4" Gap</p> <p>Both Doors, 4" Shaded Gold Scotch Lite, "Medic 2", Middle of Door, Below Striping. Striping to Match Module Height</p> <p>All Fonts Helvetica Medium</p>		

Item #	Exterior Module	Bidder Complies	
		Yes	No
2.1	<p>Final placement of handles and grab rails to be determined at prebuild</p> <p>Module</p> <p>Highest Quality Module at least 168" and 72" Headroom</p> <p>Highest Quality Auto-Eject Shoreline Inlet with Indicator Light</p> <p>Highest Quality Handles and Grab Rails</p> <p>Highest Quality Trim Package</p> <p>Highest Quality Door Locks</p> <p>Crawl Thru Window</p> <p>Highest Quality Street and Curb Side Rub Rail</p> <p>6" Low Skirt Curb Side Door Entry for Easy Access</p> <p>Highest Quality Curb Side Entry Door</p> <p>Curb Side Two Step Wells Entry With Skid and Insulated</p> <p>Curb Side Stepwell LED Lights</p> <p>Highest Quality Rear Entry Doors (2) Fixed Tented Windows</p> <p>Highest Quality Corner Stone Guards</p> <p>Highest Quality Fuel and DEF Fill Lid with Stainless Steel Plate Underneath</p> <p>Recessed Rear Kick Plate with Bumper Flip Up</p> <p>High Quality Module Interior Camera with Display</p>		
2.2	<p>Graphics - Highest Quality</p> <p>Paint: FLNA 3048</p> <p>Rear: Diamond grade Chevron, Full Rear, Red and Fluorescent Yellow Green</p> <p>Body Access Doors Interior: Diamond grade Chevron, Lower Panels,</p> <p>Both Sides: Stripe: Apply 8" Stripe Scotch lite Beltline, White</p> <p>Both Sides: Pin Stripe 1" Gold, Reflective, Top and Bottom of Beltline with 1/4" Gap. Stripes Match Height of Chassis Stripe</p> <p>Front: 6" Shaded Gold Scotch lite, "Urbana"</p> <p>Curb and Street Side: 6" Shaded Gold Scotch lite,</p> <p>Install UFD Emblems Above "Division of Fire", Both Sides</p> <p>Rear: 4" Shaded Gold Scotch lite, "Urbana", Centered Above Windows, and "Medic 2" Centered Between Bottom of Doors</p> <p>Curb and Street Side Rear Cabinets: Install City Logos, Centered to Cabinet</p> <p>All Fonts Helvetica Medium</p>		

Item #	Exterior Compartments	Bidder Complies	
		Yes	No
	Final placement of shelves, brackets, hooks and equipment to be determined at prebuild		
3.1	Door Hardware: All Compartments to Have Highest Quality Doors, Handles, Hinges, Interior Reflective, Locks, LED Door Flashers & Lighting, Panels, Shelving and Sprayed on Non-Skid Coating Any Motorized or Electric Equipment Placed in Cabinets Must be Protected		
3.2	Electronic Placement: Invertor, Electronics, Compressors, & Pumps Can be Placed at the Manufacturer's Discretion as Long as the Placement Does Not Affect the Overall Usage Intent of the Compartment		
3.3	Compartment 1 Street Side Front With an Adjustable Shelf Oxygen Storage at Minimum Inside Width of 86"H x 19"W x 19"D Compartment Shall Support a High Quality Oxygen Storage & Lift System Upper Portion of Cabinet can be used for Electronic Storage, Electronic Storage must be Separated and Protected Box shall not Dump Air with Compartment 1 Door Open		
3.4	Compartment 2 Street Side Mid FWD Wheel Well At Minimum Inside 47"H x 40"W x 19"D Preferred Placement of Motorized Equipment, Mounted at Top of Cabinet, Cage not Lower than 40" from Bottom of Cabinet (2) Mounted Corner SCBA Brackets (2) Mounted Coat Hooks each 18" from Side Wall (2) One on each Side Wall Helmet Hook (2) One on each Side Wall SCBA Bag Hook		
3.5	Compartment 3 Street Side Rear Wheel Well With an Adjustable Shelf At Minimum Inside 40"H x 32"W x 19"D *Curb Side Entry Door Placement at the Manufacturer's Discretion		
3.6	Compartment 4 Curb Side FWD Wheel Well and Door With (3) Inside/Outside Adjustable Shelves, at Minimum Inside 70"H x 24"W x 23"D Adjust Door Hight at Prebuild		
3.7	Compartment 5 Curb Side Rear Wheel Well Inside Dimensions 82"H x 24"W x 20"D One Side Full Height Adjustable Backboard Compartment Other Side (2) Adjustable Shelves, Slide Out Tray and Stair Chair Bracket Tray Must be At Least 300 lb. for Stair Chair Top Portion of Compartment Shall Have Inside/Outside Access Facing Bench		

Item #	Interior Module	Bidder Complies	
		Yes	No
	Electrical outlets, control units, grab rails, O2 ports to be decided at prebuild		
4.1	Interior Design: Module Shall Have the Highest Quality of Anti-Microbial Lights, Surfaces, Walls, Floor, and Ventilation Systems		
4.2	Grab Rails: Highest Quality and Anti-Microbial (2) Rear Entry Door Grab Assist, (2) Ceiling, and (2) Side Entry		
4.3	Door Locks with Interior Switch		
4.4	Camera Highest Quality Camera - Interior, Patient Monitor, at Rear Header		
4.5	Battery Shut Off With Time of 10 and 30 Minutes		
4.6	Electrical and AC Control Highest Quality Control Unit (2) Street and Curb Side Outlets (5) 12 V Outlets with placement to be determined at prebuild (3) Medical Grade 125 V Outlets with placement to be determined at prebuild (3) Dual USB Charging Outlets with placement to be determined at prebuild		
4.7	Lighting Highest Quality White LED Lights Sides and Ceiling		
4.8	Oxygen Highest Quality Oxygen (3) Outlet/By-pass		
4.9	Seating Highest Quality 4PT Seat Back StreetSide & Curbside Highest Quality 4PT Seat Back with Integral Child Seat on Pedestal Base		
4.10	Counter Tops Highest Quality of Medical Grade & Anti-Microbial Surface Placement to be Determined at Prebuild All Countertops Shall Have a Lip Attached to Contain Spills Bottom of Doors, Helvetica Medium		
4.11	IV Holder (2) 1 1/4" Highest Quality IV Holder with Placement to be Determined at Prebuild		
4.12	Equipment Highest Quality of Medical Grade, Anti-Microbial surface with Placement to be Determined at the Prebuild. List: Refrigerator, Portable and On Board Suction, Exhaust Fan, Automatic Power Cot Mounted System, EKG Mount, Ultraviolet Air Purifier, Invertor & One (1) Part of Dual Head Motorola 4500 Radio		
4.13	Ventilation Turbo Fan with Ducted Vents and HEPA Filter		
4.14	Flooring Nonskid, One Piece, Highest Quality, Anti-Microbial, and 10" up Sidewalls		

Item #	Interior Cabinets	Bidder Complies	
		Yes	No
	Final cabinet configuration to be determined at prebuild		
5.1	Cabinets Highest Quality with Heavy Duty Doors and Arms Doors Shall Have a Positive Latching Mechanism to Prevent Accidental Opening.		
5.2	Cabinet 1 Street Side Front at least 15"H x 40"W x 17"D (1) Heavy Duty Shelf Minimum Between Cabinet and Countertop to be 20"		
5.3	Cabinet 2 Street Side Above Countertop at least 15"H x 31"W x 19"D (1) Heavy Duty Shelf Minimum Between Cabinet and Countertop to be 20"		
5.4	Cabinet 3 Street Side Upper Rear at Least Interior 15"H x 31"W x 19"D (1) Heavy Duty Shelf		
5.5	Cabinet 4 Curb Side In/Out Access Full Access Front Curb Side Cabinet Use Exterior Compartment 4 Dimensions		
5.6	Cabinet 5 Above Curb Side Door Three Bay Glove Storage		
5.7	Cabinet 6 Stack Access From the Bench, Countertop, with EKG Mount with (2) Drawers at least 4"H x 10"W x 12"D Sharps and Trash Compartment Curbside Within Bench		
5.8	Cabinet 7 Curb Side Under Entire Length of Bench		
5.9	Cabinet 8 Manufacturer's Discretion in Placement Solid Secure Doors With Locking Mechanism 10"H x 30"W x 12"D At Least Interior 16"H x 27"W x 20"D Cabinet Designed to Secure Medications		
5.10	Cabinet 9 Side Bench In/Out Access to Exterior Compartment 6 (Facing Bench)		
5.11	Cabinet 10 Above Rear Door At Least Two Bay Glove Storage		

Item #	Warranty & Equipment	Bidder Complies	
		Yes	No
	Final equipment placement to be determined at prebuild		
6.1	<p>Warranty</p> <p>Chassis Bumper to Bumper Ten (10) Year</p> <p>Modular Body Lifetime</p> <p>Cabinet Ten (10) Year/100,000 Mile</p> <p>Electrical Ten (10) Year/100,000 Mile</p> <p>Paint Six (6) Year/100,000 Mile</p>		
6.2	<p>Equipment</p> <p>Complete Stryker Power Load System with Cot (Remove if Trade-in Included)</p> <p>High Quality Inventor 1000W</p> <p>Oxygen Lift System</p> <p>(2) SCBA Brackets</p> <p>(2) Coat Hooks</p> <p>(4) J Hooks</p> <p>High Quality LifePak EKG Mount (Specify)</p> <p>Complete Stryker Stair Chair with Bracket and Pullout Tray</p> <p>Refrigerator (Specify)</p> <p>Portable Suction with Mount</p> <p>On Board Suction</p> <p>Dual Head Motorola 4500 for Chassis and Module</p> <p>UV Lumilier</p> <p>HEPA Air Purification</p>		
6.3	<p>Trade-In</p> <p>The Bidder Shall Include a Bid with and without the Value for Trade-in of a 2007 Horton on an International Chassis with 107,000 miles, Designated by UFD as Medic 2. Included with the trade: would be to</p> <ol style="list-style-type: none"> 1. Remove the Stryker Power Load System with Cot on UFD Medic 2 2. Install the Stryker System on the Medic being Purchased. 		
6.4	<p>Pre-Payment</p> <p>An Option for a Pre-payment Discount Shall be Included in the Bid, with the Value of the Pre-payment also Included.</p>		

Item #	Emergency Warning & Radio Placement to be finalized at prebuild, No warning light shall be obstructed	Placement	Bidder Complies	
			Yes	No
7.1	Siren & Air Horn Electric Siren and Federal Q with Speakers Push Button Air Horn (2) with Tank, Dryer, and Compressor	Chassis Chassis		
7.2	Lights Whelen LED M2 Red Grille Warning Lights (2) Whelen LED M9 Warning Lights (6) Red and (1) White Spot Whelen M6 LED Arrow Turn Lights (2) Headlight Flashers Whelen LED M7 Red Intersection Street Side Whelen LED M9 Street Side Red Warning (2) Whelen LED M9 Series Street Side White Spot (2) Whelen LED M7 Street Side Wheel Well Red Warning Whelen LED Street Side strip lighting Red, White, Red in rub rail (3) Whelen LED M7 Red Intersection Curb Side Whelen LED M9 Curb Side Red Warning (2) Whelen LED M9 Series Curb Side White Spot (2) Whelen LED M7 Curb Side Wheel well Red Warning Whelen LED Curb Side strip lighting Red, White, Red in rub rail (3) Whelen LED M9 Warning Lights (4) Red (2) White Load and (1) Amber Whelen LED M9 Red Warning (2) Window Level Whelen M6 LED Arrow Turn Lights (2) Whelen M6 LED Red Brake/Tail (2) Whelen M6 LED White Back-Up (2) LED License Plate Light	Chassis Module Front Module Front Chassis Chassis Module Module Module Module Module Chassis Module Module Module Module Module Rear Module Rear Module Rear Module Rear Module Rear		
7.3	Radio System New Motorola 4500 Dual Radio Head Installed in Chassis and Module with Highest Quality Prewired Radio, Power, and Roof Antenna System	Chassis & Module		
7.4	Opitcom Recessed Opticom	Module Front		